CORRECTION Open Access



Correction: Long non-coding RNA GBCDRInc1 induces chemoresistance of gallbladder cancer cells by activating autophagy

Qiang Cai^{1,2}, Shouhua Wang¹, Longyang Jin¹, Mingzhe Weng¹, Di Zhou¹, Jiandong Wang¹, Zhaohui Tang¹ and Zhiwei Quan^{1*}

Correction: Mol Cancer 18, 82 (2019) https://doi.org/10.1186/s12943-019-1016-0

In the originally published version of this article [1], after receiving the comment, we have carefully rechecked the raw data and confirmed the error in Fig. 8*C*. We inadvertently used an image for p62 in 'GBC-SD/Dox Lv-shRNA+Dox' from the original images for ATG5 in 'GBC-SD/Dox Lv-control+Dox' as we assembled Fig. 8*C*. We confirm that the mistake would not affect the results or conclusions of the paper. The image of p62 in 'GBC-SD/Dox Lv-shRNA+Dox' has now been replaced with the correct one.

Author details

¹Department of General Surgery, XinHua Hospital, Shanghai JiaoTong University School of Medicine, Shanghai 200092, China. ²Department of Surgery, Shanghai Institute of Digestive Surgery, Ruijin Hospital, Shanghai JiaoTong University School of Medicine, Shanghai 200025, China.

Published online: 13 December 2022

The original article can be found online at https://doi.org/10.1186/s12943-019-1016-0.

*Correspondence: quanzhiwei@xinhuamed.com.cn

¹ Department of General Surgery, XinHua Hospital, Shanghai JiaoTong University School of Medicine, Shanghai 200092, China Full list of author information is available at the end of the article



Reference

 Cai Q, Wang S, Jin L, et al. Long non-coding RNA GBCDRInc1 induces chemoresistance of gallbladder cancer cells by activating autophagy. Mol Cancer. 2019;18:82. https://doi.org/10.1186/s12943-019-1016-0.

© The Author(s) 2022. **Open Access** This article is licensed under a Creative Commons Attribution 4.0 International License, which permits use, sharing, adaptation, distribution and reproduction in any medium or format, as long as you give appropriate credit to the original author(s) and the source, provide a link to the Creative Commons licence, and indicate if changes were made. The images or other third party material in this article are included in the article's Creative Commons licence, unless indicated otherwise in a credit line to the material. If material is not included in the article's Creative Commons licence and your intended use is not permitted by statutory regulation or exceeds the permitted use, you will need to obtain permission directly from the copyright holder. To view a copy of this licence, wist http://creativecommons.org/ficenses/by/4.0/. The Creative Commons Public Domain Dedication waiver (http://creativecommons.org/publicdomain/zero/1.0/) applies to the data made available in this article, unless otherwise stated in a credit line to the data.

Cai et al. Molecular Cancer (2022) 21:218 Page 2 of 3

(See figure on next page.)

Fig. 8 Knockdown of GBCDRInc1 inhibits autophagy and improves the sensitivity of gallbladder cancer cells to Dox in vivo. **a** The nude micecarrying tumors from NOZ/Dox under different transfection with Dox were shown. Tumor growth curves were calculated per week. **b** The nude mice carrying tumors from GBC-SD/Dox under different transfection with Dox were shown. Tumor growth curves were calculated per week. **c** The PGK1, LC3, p62, A TG5 and ATG12 expression and positive cell numbers was determined by immunohistochemical staining. Scale bar = 50 μ m (NOZ/Dox) or 100 μ m (GBC-SD/Dox). The mean \pm SD of triplicate experiments were plotted, *P < 0.05, **P < 0.01, ***P < 0.001

Cai et al. Molecular Cancer (2022) 21:218 Page 3 of 3

